



**SIGNAGE • SAFETY • APPAREL
PRINTING • PROMOTIONAL.**

CBA Signage & Promotions
0418 368 126

E: atef@cbasignageandpromotions.com
W: cbasignageandpromotions.com

SAFETY AND SIGNAGE CATALOGUE

› REGULATORY SIGNS (PARKING SIGNS - PAGE 14)	PAGE 04	
› WARNING SIGNS	PAGE 18	
› GUIDE SIGNS (STREET NAME SIGNS - PAGE 36)	PAGE 28	
› HAZARD MARKERS	PAGE 38	
› TEMPORARY ROADWORK SIGNS (CORFLUTES & MULTI MESSAGE SIGNS - PAGE 47)	PAGE 42	
› TRANSPORT SIGNS	PAGE 50	
› WORK ZONE PRODUCTS	PAGE 54	
› SIGN ACCESSORIES	PAGE 62	
› SAFETY SIGNS	PAGE 70	
› RECREATIONAL SIGNS	PAGE 76	
› SPECIALTY PRODUCTS	PAGE 80	
› COMMERCIAL GRAPHICS	PAGE 86	

REGULATORY SIGNS



REGULATORY SIGNS INFORM ROAD USERS OF TRAFFIC LAWS OR REGULATIONS WHICH, IF DISREGARDED, IS AN OFFENCE. THEY ARE NORMALLY PLACED AT THE POINT OR BEGINNING OF THE SECTION WHERE THE REGULATION APPLIES.

Included in this classification are signs which indicate the end of a legal restriction imposed by a preceding regulatory sign, e.g. the END LOAD LIMIT sign (R6-5).

Most regulatory signs are rectangular with the long axis vertical and have black legend with or without red annulus and slash on white background.

Wherever practicable, use is made of symbols and arrows to:

- a) Assist in identification
- b) Clarify the instruction; and
- c) Increase legibility

Additional legend may be required on certain signs to restrict their application to particular periods and classes of traffic or to indicate the beginning or end of a special traffic lane.

Where a special inscription is needed on an enlarged sign, this should be shown in black below the main instructions or on a special supplementary white sign of the same width as the regulatory sign.

SIGN CLASSIFICATIONS

The sub-classifications and their relevant prefix and series coding for regulatory signs are as follows:

SERIES No.	CLASSIFICATION
R1	Movement series
R2	Direction series
R3	Pedestrian series
R4	Speed series
R5	Parking series
R6	Miscellaneous series
R7	Exclusive-use lane series
R8	Bicycle/Pedestrian series
R9	Supplementary plates for general use





REGULATORY SIGNS

All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



R1-1A 600 x 600
R1-1B 750 x 750
R1-1C 900 x 900



R1-2A 750
R1-2B 900
R1-2C 1200



R1-3A 750
R1-3B 900



NSW ONLY
R1-4A 450 x 450



ACT & NSW ONLY
R2-1A 900 x 300
R2-1B 1350 x 450
(L or R)



R2-2A 450 x 600
R2-2B 600 x 800
(L or R)



R2-3A 450 x 600
R2-3B 600 x 800
(L or R)



NSW, NT & ACT ONLY
R2-4A-RTA 450 x 750
R2-4B-RTA 600 x 1000
R2-4C-RTA 750 x 1250



R2-4A 450 x 450
R2-4B 600 x 600
R2-4C 750 x 750
R2-4D 900 x 900



NSW, NT & ACT ONLY
R2-5A-RTA 450 x 750
R2-5B-RTA 600 x 1000



R2-5A 450 x 450
R2-5B 600 x 600
R2-5C 750 x 750
R2-5D 900 x 900



NSW, NT & ACT ONLY
R2-6A-RTA 450 x 900
R2-6B-RTA 600 x 1200
(L or R)

REGULATORY SIGNS



All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



R2-6A 450 x 450
R2-6B 600 x 600
R2-6C 750 x 750
R2-6D 900 x 900
(L or R)



R2-7A 450 x 600
R2-7B 600 x 800




R2-8A 450 x 600
R2-8B 600 x 800



R2-9A 450 x 750
R2-9B 600 x 1000
(L or R)



R2-10A 600 x 600



R2-11A 450 x 600
R2-11B 600 x 800



R2-12A 2300 x 1470



R2-13 1100 x 1100



R2-14A 600 x 800
R2-14B 900 x 1200
(L or R)



R2-15A 450 x 600
R2-15B 600 x 800



R2-16A 750 x 600



R2-17A 450 x 800
R2-17B 600 x 1067
R2-17C 900 x 1600



REGULATORY SIGNS

All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials




R2-18 1400 x 1400



R2-19A 800 x 1200



R2-20 450 x 800



R2-21 800 x 1100



R2-22 600 x 600




R2-209 150 x 1150



R3-1A 600
R3-1B 750
R3-1C 900



R3-2A 450
R3-2B 600



R3-3A 600 x 600
FLAG C/W DOWELL



R3-4A 450 x 1200
R3-4B 600 x 1600



R3-5A 90 x 110
(L or R)




R4-1A 450 x 600
R4-1B 600 x 800
R4-1C 900 x 1200
R4-1D 1200 x 1600

REGULATORY SIGNS



All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials




WA ONLY
R4-2A 600 x 800
R4-2B 900 x 1200



R4-3A 450 x 300
R4-3B 600 x 400
R4-3C 900 x 600




R4-4A 450 x 750



R4-5A 450 x 750




R4-10A 450 x 750
R4-10B 600 x 1000




R4-11A 450 x 750
R4-11B 600 x 1000




R4-12B 600 x 1000
R4-12C 800 x 1334



NSW ONLY
R4-230A-RTA 900 x 850
R4-230B-RTA 1200 x 1135
R4-230C-RTA 1800 x 1700



NSW ONLY
R4-231A-RTA 900 x 850
R4-231B-RTA 1200 x 1135
R4-231C-RTA 1800 x 1700



VIC ONLY
R4-V105A 900 x 850
R4-V105B 1200 x 1135
R4-V105C 1800 x 1700



VIC ONLY
R4-V106AA 360 x 1016
R4-V106A 450 x 1270



VIC ONLY
R4-V107A 360 x 840
R4-V107B 450 x 1050
R4-V107C 600 x 1400



REGULATORY SIGNS

All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



NSW ONLY

R4-212A 450 x 900
R4-212B 600 x 1200
R4-212C 900 x 1745
R4-212D 1200 x 2400
(Hinged or Unhinged)



VIC ONLY

R4-V108B 600 x 780
R4-V108C 900 x 1170



NSW ONLY

R5-58A-RTA 600 x 225
R5-58B-RTA 900 x 337



R5-58A 1500 x 1100




R6-1A 750 x 900
R6-1B 1200 x 1440



R6-2A 750 x 900
R6-2B 1200 x 1440



R6-3A 600 x 900
R6-3B 900 x 1350



R6-4A 600 x 900
R6-4B 900 x 1350



R6-5A 600 x 800
R6-5B 900 x 1200



R6-6A 450 x 750
R6-6B 675 x 1125



R6-7A 450
R6-7B 600



R6-8A 450
R6-8B 600

REGULATORY SIGNS



All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



R6-9A 450 x 600



R6-10-1A 600 x 600

R6-10-1B 900 x 900

R6-10-1C 1200 x 1200



R6-10-2A 600 x 600

R6-10-2B 900 x 900

R6-10-2C 1200 x 1200



R6-10-3A 450 x 450

R6-10-3B 600 x 600

R6-10-3C 750 x 750

R6-10-3D 900 x 900



R6-11A 1950 x 600



R6-12A 1500 x 600



R6-13A 1200 x 1500



R6-14A 450 x 750


R6-14B 675 x 1125



R6-15A 450 x 450

R6-15B 600 x 600

R6-15C 750 x 750



R6-17A 1200 x 750



R6-18A 600 x 700

R6-18B 900 x 1050

R6-18C 1200 x 1400



REGULATORY SIGNS

All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



R6-19A 1200 x 600
R6-19B 1800 x 900



R6-20A 1200 x 600
R6-20B 1800 x 900



R6-21A 900 x 450
R6-21B 1800 x 900



R6-22A 1200 x 1000
R6-22B 1440 x 1200
R6-22C 1800 x 1500




R6-23A 1000 x 800
R6-23B 1500 x 1200



R6-24A 1350 x 178
R6-24B 1800 x 238



R6-25A 1200 x 800
R6-25B 1350 x 900



R6-26A 1350 x 178
R6-26B 1800 x 238



R6-27A 600 x 700
R6-27B 900 x 1050
R6-27C 1200 x 1400



R6-28A 900 x 900
R6-28B 1200 x 1200
R6-28C 1800 x 1800



R6-29A 1200 x 600
R6-29B 1800 x 900
R6-29C 2400 x 1200



R6-30A 600 x 1200
R6-30B 900 x 1800

REGULATORY SIGNS



All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



R6-31A 350 x 350



R6-32A 1200 x 800



NSW ONLY
R6-222-RTA 450 x 800



R7-1-1C 600 x 800
R7-1-1D 900 x 1200
R7-1-1E 1200 x 1600



R7-1-3C 600 x 800
R7-1-3D 900 x 1200
R7-1-3E 1200 x 1600



R7-1-4B 450 x 600
R7-1-4C 600 x 800
R7-1-4D 900 x 1200



R7-1-5C 600 x 800
R7-1-5D 900 x 1200



R7-1-6C 600 x 800
R7-1-6D 900 x 1200
R7-1-6E 1200 x 1600




R7-2B 450 x 150
R7-2C 600 x 200
R7-2D 900 x 300
R7-2E 1200 x 400



R7-3B 450 x 300
R7-3C 600 x 400
R7-3D 900 x 600
R7-3E 1200 x 800
(L & R)



R7-4A 300 x 100
R7-4B 450 x 150
R7-4C 600 x 200
R7-4D 900 x 300
R7-4E 1200 x 400



R7-5B 450 x 300
R7-5C 600 x 400
R7-5D 900 x 600
R7-5E 1200 x 800



R7-6-1A 1400 x 400



R7-6-2A 1400 x 400



R7-6-3A 1600 x 400



R7-6-4 1600 x 400

REGULATORY SIGNS

All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



R7-7-1C 600 x 800
R7-7-1D 900 x 1200
R7-7-1E 1200 x 1600



R7-7-2C 600 x 800
R7-7-2D 900 x 1200
R7-7-2E 1200 x 1600



R8-1A 300 x 450
R8-1B 450 x 600
R8-1C 600 x 800




R8-2A 300 x 450
R8-2B 450 x 600
R8-2C 600 x 800



R8-3A 300 x 300
R8-3B 450 x 450
R8-3C 600 x 600



R9-1-1A 450 x 300
R9-1-1B 600 x 400
R9-1-1C 900 x 600
R9-1-1D 1200 x 800



R9-1-2A 450 x 450
R9-1-2B 600 x 600
R9-1-2C 900 x 900
R9-1-2D 1200 x 1200



R9-1-3B 600 x 400
R9-1-3C 900 x 600
R9-1-3D 1200 x 800



R9-2A 450 x 300
R9-2B 600 x 400
R9-2C 750 x 500



R9-3A 450 x 300
R9-3B 600 x 400
R9-3C 750 x 500



R9-4A 450 x 300
R9-4B 600 x 400



R9-5C 750 x 375
R9-5D 900 x 450



R9-6A 750 x 150
R9-6B 1000 x 200
R9-6C 1200 x 240



QLD ONLY
TC1195A 750
TC1195B 900
TC1195C 1200



QLD ONLY
TC9265A 180 x 1200



QLD ONLY
R4-Q01A 450 x 1400
R4-Q01B 600 x 1900
R4-Q01C 900 x 2800

REGULATORY SIGNS



PARKING SIGNS

Parking controls and the times that they apply vary so widely that parking signs generally have to be designed individually. Many signs contain a number of separate controls on one sign.

A special numbering code comprising a generic number in the R5 Series, together with additional coding has been developed for ordering those signs whose message is variable.

LINEAR PARKING CONTROL PANELS

TYPE OF CONTROL		SIGN NUMBER
PARKING		
Whole Hours:	1P	R5-1
	2P	R5-2
	3P	R5-3
	4P	R5-4
	5P	R5-5
	6P	R5-6
	7P	R5-7
	8P	R5-8
	P No Duration Stated	R5-10
Part of Hours:	P2 Minute	R5-12
	P5 Minute	R5-13
	P10 Minute	R5-14
	¼ P	R5-15
	½ P	R5-16
	1½ P	R5-17
ZONE	Bus Zone	R5-20
	Taxi Zone	R5-21
	Permit Zone	R5-22
	Loading Zone	R5-23
	Truck Zone	R5-24
	Works Zone	R5-25
	Mail Zone	R5-26
NO-STOPPING	No - Stopping (At any time)	R5-35
	No - Stopping (Specific times of operation)	R5-36
NO-PARKING	No - Parking (At any time)	R5-40
	No - Parking (Specific times of operation)	R5-41
CLEARWAY	Clearway (At all times)	R5-45
	Clearway (Specific times of operation)	R5-46






REGULATORY SIGNS


All signs are available in Hi Intensity (H) & Diamond Grade (DG) and Enamel (E) Materials

PANEL ARRANGEMENTS ON SIGNS


CODE	SIZE (mm)
N1	225 x 300
N2	225 x 450
W1	450 x 225
W2	450 x 300




Examples of Panel Arrangement Layouts



P22



P32




P42



PORTABLE PARKING TRIPOD
PPT

PARKING SIGNS

Sizes Available: S = Single 225 x 450, D = Double 450 x 450, T = Triple 450 x 675. Left, Right & Double Arrows also available.




R5-1




R5-10DOAL



R5-20



R5-21



R5-22

REGULATORY SIGNS



All signs are available in Hi Intensity (H) & Diamond Grade (DG) and Enamel (E) Materials

PARKING SIGNS

Sizes Available: S = Single, D = Double, T = Triple




R5-23



R5-26




R5-35



R5-39A 600 x 225
R5-39B 900 x 337



R5-40




R5-46



R5-50A 600 x 800
R5-50B 900 x 1200



R5-51A 600 x 600
R5-51B 900 x 900



R5-61A 600 x 900
R5-61B 900 x 1350



R5-62A 450 x 800
R5-62B 600 x 1065



R5-63A 600 x 600
R5-63B 900 x 900



R5-65A 450 x 300
R5-65B 600 x 400



R5-71A 600 x 800
R5-71B 900 x 1200



R5-72A 450 x 900
R5-72B 600 x 1065



REGULATORY SIGNS


All signs are available in Hi Intensity **(H)** & Diamond Grade **(DG)** and Enamel **(E)** Materials

PARKING SIGNS


Left, Right & Double Arrows available.



R5-73A 450 x 600
R5-73B 600 x 800



ACT ONLY
ACTR5-1 300 x 450
(Class 2)



ACT ONLY
ACTR5-2 300 x 450
(Class 2)




ACT ONLY
ACTR5-3 300 x 450
(Class 2)



ACT ONLY
ACTR5-20 300 x 450
(Class 2)



ACT ONLY
ACTR5-22/1 300 x 450
(Class 2)



ACT ONLY
ACTR5-23 300 x 450
(Class 2)



ACT ONLY
ACTR5-35 300 x 450
(Class 2)



ACT ONLY
ACTR5-40 300 x 450
(Class 2)



NSW ONLY
RTAR5-400



WARNING SIGNS



WARNING SIGNS ARE USED TO WARN TRAFFIC OF POTENTIALLY HAZARDOUS CONDITIONS ON OR ADJACENT TO THE ROAD. WARNING SIGNS ADVISE OF CONDITIONS WHICH REQUIRE CAUTION ON THE PART OF THE DRIVER AND MAY CALL FOR A REDUCTION IN SPEED IN THE INTEREST OF THE SAFETY OF THE DRIVER AND OF OTHER ROAD USERS.

In general, warning signs are diamond shaped (square with one diagonal vertical) with a black legend or symbol, or both, and a black border on a yellow reflectorised background.

The W8 series signs are used in conjunction with other signs in the Warning Series to supplement and clarify the message conveyed and are generally rectangular.

SIGN CLASSIFICATIONS

The sub-classifications and the prefix and series number relevant to each individual warning signs are as follows:

SERIES No.	CLASSIFICATION
W1	Alignment series
W2	Intersection and junction series
W3	Advance warning of traffic control device series
W4	Road width, low and narrow clearance signs
W5	Road obstacle series
W6	Pedestrian, bicycle and school series
W7	Railway level crossing series
W8	Supplementary plate series
W9	Modified intersection series





WARNING SIGNS

All signs are available in Hi Intensity **(H)**, Diamond Grade **(DG)**, Fluoro Yellow/Green **(FYG)** materials

SIZE	DIMENSIONS (mm)
A	600 x 600
B	750 x 750
C	900 x 900
D	1200 x 1200



TURN
W1-1A
W1-1B
W1-1C
(L or R)



REVERSE TURN
W1-2A
W1-2B
W1-2C
(L or R)



CURVE
W1-3A
W1-3B
W1-3C
(L or R)



REVERSE CURVE
W1-4A
W1-4B
W1-4C
(L or R)



WINDING ROAD
W1-5A
W1-5B
W1-5C



HAIRPIN BEND
W1-7A
W1-7B
W1-7C
(L or R)



TILTING TRUCK
W1-8B 1500 x 3000
(L or R)



CROSS ROAD
W2-1A
W2-1B
W2-1C



T JUCTION
W2-3A
W2-3B
W2-3C



SIDE ROAD JUNCTION
W2-4A
W2-4B
W2-4C
(L or R)



ROUNDABOUT
W2-7A
W2-7B
W2-7C



STAGGERED SIDE ROAD JUNCTION
W2-8A
W2-8B
W2-8C
(L or R)

WARNING SIGNS



All signs are available in Hi Intensity (H), Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



**SIDE ROAD JUNCTION
ON A CURVE**

W2-9A
W2-9B
W2-9C
(L or R)



**SIDE ROAD JUNCTION
ON A CURVE**

W2-10A
W2-10B
W2-10C
(L or R)



**SUCCESSIVE SIDE
ROAD JUNCTION**

W2-11A
W2-11B
W2-11C
(L or R)



**SUCCESSIVE SIDE
ROAD JUNCTION**

W2-12A
W2-12B
W2-12C
(L or R)



SUCCESSIVE SIDE ROAD

W2-13A
W2-13B
W2-13C



T-JUNCTION BEYOND

W2-14A
W2-14B
W2-14C
(L or R)



STOP SIGN AHEAD

W3-1A
W3-1B
W3-1C
W3-1D



GIVE WAY SIGN AHEAD

W3-2A
W3-2B
W3-2C
W3-2D



SIGNALS AHEAD

W3-3A
W3-3B
W3-3C
W3-3D



ROAD HUMPS AHEAD

W3-4A
W3-4B
W3-4C



NARROW BRIDGE

W4-1A
W4-1B
W4-1C



ROAD NARROWS

W4-3A
W4-3B
W4-3C



DIVIDED ROAD

W4-4A
W4-4B
W4-4C



ISLAND

W4-5A
W4-5B
W4-5C
W4-5D



**LOW CLEARANCE
...m (AHEAD)**

W4-8B
W4-8C



LEFT LANE ENDS

W4-9B
W4-9C

WARNING SIGNS


All signs are available in Hi Intensity (H), Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



LANE ALLOCATION
W4-10B
W4-10C



TWO WAY TRAFFIC
W4-11A
W4-11B
W4-11C
W4-11D



VIC ONLY
W4-V103



LOW TREE BRANCHES
VIC ONLY
W4-V106A
W4-V106B
W4-V106C



FERRY
W5-1A
W5-1B
W5-1C



OPENING BRIDGE
W5-2A
W5-2B
W5-2C



FORD
W5-6A
W5-6B
W5-6C



FLOODWAY
W5-7A
W5-7B
W5-7C



LOW LEVEL BRIDGE
W5-8A
W5-8B
W5-8C



DIP
W5-9A
W5-9B
W5-9C



ROAD HUMPS
W5-10A
W5-10B
W5-10C



CREST
W5-11A
W5-11B
W5-11C



STEEP DESCENT
W5-12A
W5-12B
W5-12C



STEEP CLIMB
W5-13A
W5-13B
W5-13C



GATE
W5-14A
W5-14B
W5-14C



GRID
W5-16A
W5-16B
W5-16C

WARNING SIGNS



All signs are available in Hi Intensity **(H)**, Diamond Grade **(DG)**, Fluoro Yellow/Green **(FYG)** materials



ROAD ENDS
W5-18A
W5-18B
W5-18C



GRAVEL ROAD
W5-19A
W5-19B
W5-19C



SLIPPERY
W5-20A
W5-20B
W5-20C



**TRUCKS CROSSING
OR ENTERING**
W5-22A
W5-22B
W5-22C



TURNING TRAFFIC
W5-25A
W5-25B
W5-25C



KANGAROOS
W5-29A
W5-29B
W5-29C



AIRCRAFT
W5-30A
W5-30B
W5-30C



SAFETY RAMP CROSSING
W5-31C
W5-31D



SLOW POINT
W5-33A
W5-33B



MERGING TRAFFIC
W5-34A
W5-34B
W5-34C
W5-34D
(L or R)



ADDED LANE
W5-35A
W5-35B
W5-35C
W5-35D
(L or R)



FIRE STATION
W5-36A
W5-36B
W5-36C



AMBULANCE STATION
W5-37A
W5-37B
W5-37C



STOCK
W5-38A
W5-38B
W5-38C



TRUCKS TURNING
W5-205A
W5-205B
W5-205C



KOALAS
W5-209A
W5-209B
W5-209C

WARNING SIGNS

All signs are available in Hi Intensity (H), Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



WOMBATS
W5-210A
W5-210B
W5-210C



TREES CLOSE TO ROAD
VIC ONLY
W5-V127A
W5-V127B
W5-V127C



PEDESTRIANS
W6-1A
W6-1B
W6-1C



PEDESTRIAN CROSSING AHEAD
W6-2A
W6-2B
W6-2C



SCHOOL BUS
W6-204A
W6-204B
W6-204C



CHILDREN
W6-3A
W6-3B
W6-3C



HOSPITAL
W6-6A
W6-6B
W6-6C



BICYCLES
W6-7A
W6-7B
W6-7C



ROAD AHEAD
W6-8A 300 x 300
W6-8B 450 x 450



W6-9A
W6-9B
W6-9C




TRACKS
...numbers
W7-2A 600 x 275
W7-2B 800 x 367



RAILWAY LEVEL CROSSING FLASHING SIGNAL AHEAD
W7-4B
W7-4C
W7-4D



TRAIN
W7-7A
W7-7B
W7-7C
(L or R)



TRAIN CROSSING RIGHT ANGLE
W7-8A
W7-8B
W7-8C




TRAIN CROSSING ANGLE
W7-9A
W7-9B
W7-9C
(L or R)


WARNING SIGNS



All signs are available in Hi Intensity (H), Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



**TRAIN CROSSING
T-JUNCTION**
W7-12A
W7-12B
W7-12C



**TRAIN CROSSING
INTERSECTION**
W7-13A
W7-13B
W7-13C



TRAIN CROSSING
W7-14-1A 600 x 400



DO NOT CROSS
W7-14-2A 600 x 400



DO NOT CROSS
W7-14-3A 600 x 500



RAILWAY GATE
W7-15A
W7-15B
W7-15C



**DRY WEATHER
ROAD ONLY**
W-DWROA
W-DWROB
W-DWROC



HORSE AND RIDER
W-H&RA
W-H&RB
W-H&RC



W-RAISPAVA
W-RAISPAVB
W-RAISPAVC



**ADVISORY SPEED
...km/h**
W8-2A 600 x 400
W8-2B 750 x 500
W8-2C 900 x 600
W8-2D 1200 x 800



ON SIDE ROAD
W8-3A 600 x 400
W8-3B 750 x 500
W8-3C 900 x 600
(L or R)



DISTANCE ...m
W8-5A 600 x 200
W8-5B 750 x 250
W8-5C 900 x 300
W8-5D 1200 x 400



WHEN WET
W8-7A 600 x 400
W8-7B 750 x 500
W8-7C 900 x 600



WHEN FROSTY
W8-8A 600 x 400
W8-8B 750 x 500
W8-8C 900 x 600



UNDER SNOW
W8-9A 600 x 400
W8-9B 750 x 500
W8-9C 900 x 600



PLAYGROUND
W8-13A 600 x 400
W8-13B 750 x 500
W8-13C 900 x 600

WARNING SIGNS

All signs are available in Hi Intensity (H), Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



SCHOOL

W8-14A 600 x 200
W8-14B 750 x 250
W8-14C 900 x 300
Lime Green Fluoro (QLD)
Fluoro Diamond Grade



MERGE RIGHT

W8-15B 750 x 500
W8-15C 900 x 600
W8-15D 1200 x 800



ONE LANE

W8-16A 600 x 400
W8-16B 750 x 500
W8-16C 900 x 600



NEXT ...km

W8-17-1A 600 x 400
W8-17-1B 750 x 500
W8-17-1C 900 x 600
W8-17-1D 1200 x 800



NEXT ...m

W8-17-2A 600 x 400
W8-17-2B 750 x 500
W8-17-2C 900 x 600



AGED

W8-18A 600 x 200
W8-18B 750 x 250
W8-18C 900 x 300



BLIND

W8-19A 600 x 200
W8-19B 750 x 250
W8-19C 900 x 300



DISABLED

W8-20A 600 x 200
W8-20B 750 x 250
W8-20C 900 x 300



BOGGY WHEN WET

W8-21A 600 x 400
W8-21B 750 x 500
W8-21C 900 x 600



CROSSING AHEAD

W8-22A 600 x 400
W8-22B 750 x 500
W8-22C 900 x 600



CROSSING ARROWS

W8-23A 600 x 200
W8-23B 750 x 250



PRESCHOOL

W8-24A 600 x 200
W8-24B 750 x 250
W8-24C 900 x 300
C1W Lime Green Fluoro (QLD)



REFUGE ISLAND

W8-25A 600 x 400
W8-25B 750 x 500
W8-25C 900 x 600



ADDED LANE

W8-26A 600 x 400
W8-26B 750 x 500
W8-26C 900 x 600
W8-26D 1200 x 800

WARNING SIGNS



All signs are available in Hi Intensity (H), Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



PREPARE TO STOP

W8-27B 750 x 375
W8-27C 900 x 450
W8-27D 1200 x 600



VIC ONLY

W8-V113A 600 x 480
W8-V113B 750 x 600
W8-V113C 900 x 720



VIC ONLY

W8-V115-1 600 x 600



VIC ONLY

W8-V115-2 900 x 600



W9-1A
W9-1B
W9-1C
(L or R)



W9-2A
W9-2B
W9-2C
(L or R)



W9-3A
W9-3B
W9-3C
(L or R)



W9-4A
W9-4B
W9-4C
(L or R)



SCHOOL QLD ONLY

TC1192A 750 x 750
TC1192B 900 x 900
TC1192C 1200 x 1200



CHILDREN QLD ONLY

TC1193A 750 x 750
TC1193B 900 x 900
TC1193C 1200 x 1200



SCHOOL

SCHOOL CROSSING AHEAD QLD ONLY

TC1194A 750 x 750
TC1194B 900 x 900
TC1194C 1200 x 1200



WA ONLY
MR-WDAD-2



WA ONLY
MR-WDAD-3



W5-73



WARNING SIGNS

All signs are available in Hi Intensity (H), Diamond Grade (DG), Fluoro Yellow/Green (FYG) materials



WA ONLY
MR-WDAD-6



WA ONLY
MR-WDAD-7



WA ONLY
MR-WDAD-8



WA ONLY
MR-WDAD-9



WA ONLY
MR-WDAD-10



WA ONLY
MR-WDAD-11



WA ONLY
MR-WDAD-12



WA ONLY
MR-WDAD-13



WA ONLY
MR-WDAD-14



WA ONLY
MR-WDAD-15



WA ONLY
MR-WDAD-16



WA ONLY
MR-WDAD-17



WA ONLY
MR-WDAD-18



WA ONLY
MR-WDAD-19



WA ONLY
MR-WDAD-20

GUIDE SIGNS

GUIDE SIGNS INFORM AND ADVISE ROAD USERS ABOUT THE ROUTE THEY ARE FOLLOWING AND GIVE DIRECTIONS AND DISTANCES TO DESTINATIONS ON THE ROUTE OR ALONG OTHER ROADS WHICH INTERSECT THE ROUTE. THEY ALSO SUPPLY INFORMATION TO IDENTIFY POINTS OF GEOGRAPHICAL OR HISTORICAL INTEREST AND GIVE DIRECTIONS TO MOTORISTS' SERVICES AND TOURIST FACILITIES AND ATTRACTIONS.

Guide signs are generally rectangular. Where practicable, they should be designed with the long axis horizontal. Exceptions to this are route markers and kilometre plates that are normally on a shield or background of distinctive shape.

The background colour of guide signs is coded to allow road users to recognize them as belonging to a particular category.

These Categories are:

- A black legend on a white background signifies general information signs, national route markers and street name signs.
- A white legend on a green background is used for signs such as advance direction signs, finger boards, intersection and special direction signs, advance exit and exit direction signs on freeways, reassurance direction signs and kilometre posts.
- A white legend on blue background indicates roadside facilities, services and service areas (including rest and camping areas), state route markers, bicycle route markers, and bicycle and pedestrian route information and direction signs.
- A black legend on a yellow background is used for exit speed signs and special instruction (e.g. ONLY) panels within certain direction signs.
- A white legend on a red background is used for signs which indicate to a driver the need to stop or reduce speed considerably and signs indicating wrong-way movements.
- A white legend on a brown background is used for tourist signs and tourist route markers.



SIGN CLASSIFICATIONS

The sub-classifications and the prefix and series number relevant to each individual warning signs are as follows:

SERIES NO.	CLASSIFICATION
G1	Advance direction series
G2	Intersection direction series
G3	Finger Boards
G4	Reassurance direction series
G5	Street name & pedestrian direction series
G6	Geographical feature series
G7	Service series
G8	Route marker series
G9	Traffic instruction series
G10	Kilometre posts
G11	Tourist series
GE	Freeway guide series
Note: The prefix S is used to identify symbols for use on G7 series signs.	



GUIDE SIGNS

G1 - ADVANCE DIRECTION SERIES



G1-1




G1-2



G1-3



G1-4



G1-5



G1-6

G2 - INTERSECTION DIRECTION SERIES



G2-1 COOMERA



G2-2 COOMERA



G2-3



G2-5

G3 - FINGER BOARDS



G3-4



G3-5

G4 - REASSURANCE DIRECTION SERIES



G4-1

GUIDE SIGNS



G6 - GEOGRAPHICAL FEATURE SERIES

ECHUCA

G6-1

SWAN RIVER

G6-2

CITY OF
ALBURY

SHIRE OF
HUME

G6-5

MOONBI RANGE
914 m

G6-6

G7 - SERVICE SERIES



G7-1-1A
G7-1-1B



G7-1-2A
G7-1-2B



G7-2-3A
G7-2-3B



G7-3-4A
G7-3-4B



G7-4-3A
G7-4-3B



G7-6-1A
G7-6-1B



DNP1 450 x 750
CENTRE MOUNTED



DNPBSM 500 x 750
SIDE MOUNTED
DOUBLE SIDED



G7-7-1A
G7-7-1B



G7-8-2A
G7-8-2B



G7-9-1A



G7-10-1A

PARKING →


G7-11



G7-12



GUIDE SIGNS




G8 - ROUTE MARKER SERIES




G8-1-1A 310 x 360
G8-1-1B 413 x 480




G8-1-2A 310 x 360
G8-1-2B 413 x 480




G8-2-1A 310 x 200
G8-2-1B 410 x 265




G8-2-2A 310 x 200
G8-2-2B 410 x 265



G8-2-3A 310 x 200
G8-2-3B 410 x 265
(L or R)



G8-2-4A 310 x 200
G8-2-4B 410 x 265
(L or R)



G8-2-5A 310 x 200
G8-2-5B 410 x 265



G8-2-6A 310 x 200
G8-2-6B 410 x 265



G8-2-7A 310 x 200
G8-2-7B 410 x 265



G8-3-1A 310 x 200
G8-3-1B 410 x 265



G8-4-1A 310 x 200
G8-4-1B 410 x 265



G8-8-8A 375 x 360
G8-8-8B 500 x 480



G8-9-1 360 x 360



G8-9-2 360 x 360



G8-9-3 360 x 360

G9 - TRAFFIC INSTRUCTION SERIES



G9-3 1700 x 900
(L or R)



G9-4 1700 x 900
(L or R)



G9-5-1 1300 x 350
(L or R)



G9-5-2 1400 x 350
(L or R)

GUIDE SIGNS



G9 - TRAFFIC INSTRUCTION SERIES



G9-9A 1500 x 750
G9-9B 1800 x 900



G9-10A 900 x 900
G9-10C 2400 x 2400



G9-11A 900 x 1100
G9-11C 2400 x 2950



G9-12A 950 x 1100
G9-12C 2550 x 2950



G9-15A 600 x 800
G9-15B 900 x 1200
G9-15C 1200 x 1600




G9-16A 600 x 800
G9-16B 900 x 1200
G9-16C 1200 x 1600
G9-16D 1500 x 2000



G9-18A 600 x 400
G9-18B 900 x 600



G9-19A 600 x 200



G9-22A 200 x 1350

G9-22-1A 200 x 2350
G9-22-2B 200 x 2350
G9-22-2 200 x 2350
(QLD - RHS ONLY)



G9-20 900 x 550



G9-21 2150 x 800



G9-23A 800 x 600
G9-23B 1000 x 750
G9-23C 1200 x 900



G9-24A 2200 x 800
G9-24B 4400 x 1600



GUIDE SIGNS

G9 - TRAFFIC INSTRUCTION SERIES



G9-25A 2200 x 800
G9-25B 4400 x 1600



G9-26 2200 x 1100



G9-32 2100 x 450



G9-33 2100 x 450



G9-37 2600 x 1200



G9-38 2600 x 1200



G9-40-1A 900 x 600



G9-48A 600 x 600
G9-48B 750 x 750
G9-48C 900 x 900



G9-57A 900 x 800
G9-57B 1200 x 1067



G9-58A 450 x 450
G9-58B 600 x 600



G9-60A 450 x 600
G9-60B 600 x 800



G9-63A 900 x 900
(L or R)



G9-64A 750 x 600



G9-65A 600 x 1200



G9-79A 450 x 750
G9-79B 600 x 1000

GUIDE SIGNS



G10 - KILOMETRE POSTS



G10-3A 250 x 450

G11 - TOURIST SERIES



G11-1



G11-4


GE - FREEWAY GUIDE SERIES



GE1-2



GE1-6



GE1-11



GE1-13



GE2-3 1800 x 1600



GE7-6A 600 x 700
GE7-6B 900 x 1050



GE7-8 200 x 350
(L or R)



GE7-9 200 x 100



GUIDE SIGNS

GE - FREEWAY GUIDE SERIES



GE9-15A 600 x 400
GE9-15B 750 x 500



GE9-2A 1400 x 1800



GE9-3A 2600 x 2000



GE9-22-1B 2700 x 1400
GE9-22-1C 3600 x 1867



GE9-22-2RA 1750 x 1500
GE9-22-2RB 2350 x 2015



GUIDE SIGNS



G5 - STREET NAME SERIES

Guide signs are generally rectangular.

Australian Standard 1742-5: 1997 "Street Name and Community Facility Name Signs" requires the following:

- That "street name signs" be mounted at the "optimum height for illumination by vehicle headlights".
- They should be made using a retro-reflective material as a background which in the least meets the requirements of Class 1 material as specified.
- Where possible "Series D" letters should be used. This letter style spaced in accordance with the Standard ensures quick name recognition and facilitates traffic flow.



LEGEND	BACKGROUND					
	WHITE	YELLOW	STANDARD GREEN	BLUE	BROWN	BLACK
WHITE	-	NO (3)	YES (5)	YES (5)	NO (2,4)	NO (2,4)
YELLOW	NO (3)	-	NO (2)	NO (2,3)	NO (2,4)	NO (4)
STANDARD GREEN	YES (1)	YES (1)	-	NO (3)	NO (3)	NO (3)
BLUE	YES (1)	YES (1)	NO (3)	-	NO (3)	NO (3)
BROWN	YES (1)	YES (1)	NO (3)	NO (3)	-	NO (3)
BLACK	YES (1)	YES (1,6)	NO (3)	NO (3)	NO (3)	-

Notes:

- Legend shall be non-reflectorised.
- Not suitable for street name. May be used for local government name or logo.
- Inadequate contrast between colours.
- Sign will not be sufficiently conspicuous.
- Background shall be reflectorised
- Use of this combination in conjunction with the NO THROUGH ROAD sign may compromise the warning impact of the colour of the latter.

Source: AS1742.5:2.7 – 1997

ABBREVIATIONS		
Arcade ARC	Drive DR	Place, Plaza PL
Avenue AV	Esplanade ESP	Promenade PRM
Boulevard BVD	Expressway EXP	Quay QY
Brace, Brae BR	Freeway FWY	Road RD
Chase CH	Gardens GDN	Square SQ
Circuit CCT	Grove GR	Street ST
Circle, Circlet, Circus CIR	Highway HWY	Terrace TCE
Close CL	Junction JNC	Walk WK
Corner CNR	Lane LA	Way (Not usually abbreviated) WY
Court CT	Parade PDE	
Crescent CR	Parkway PWY	

Source: AS1742.55:2.5 – 1997

Note: Some councils use abbreviations different to the above



GUIDE SIGNS

G5 - STREET NAME SERIES



G5-1



G5-2



G5-3



G5-4



G5-5



G5-6




G5-10



G5-11

STREET NAME PLATES WITH LOGOS

Increasingly common is the practice of municipal councils using their logos and other branding on Street Name signs. In this circumstance logos can be screened on a reflective or non-reflective background and can be in a variety of colours.



HAZARD MARKERS



HAZARD SIGNS ARE USED TO HIGHLIGHT TO APPROACHING TRAFFIC A MARKED CHANGE IN THE DIRECTION OF TRAVEL AND THE PRESENCE AND WIDTH OF AN OBSTRUCTION.

Guide signs are generally rectangular. Hazard signs are rectangular and generally consist of a series of alternate black and white bands. The white portion is always reflectorized, but the reflective material may cover only the central portion of each white band to achieve a balance between the areas of black and white under headlight illumination. The bands may consist of either diagonal strips where only a target is required, or of chevrons where directional, as well as target, properties are desirable.

Typically, there are 4 types of hazard marker:

a) Uni-directional Hazard Marker – used to guide approaching traffic to the direction indicated by the chevrons i.e. to the left or right as required.

b) Bi-directional Hazard Marker – used to delineate the nose of an island or other obstruction where traffic may pass the obstruction on either side.

c) Width Marker – normally erected in pairs, one on either side of a vertical obstruction facing in the direction of traffic flow.

d) Obstruction Marker – used to delineate obstructions such as road closures or obstructions above the road.





HAZARD MARKERS

LEGEND

UNI-DIRECTIONAL HAZARD MARKER

Used to guide approaching traffic to the direction indicated by the chevrons i.e. to the left or right as required.



BI-DIRECTIONAL HAZARD MARKER

Used to delineate the nose of an island or other obstruction where traffic may pass the obstruction on either side.



WIDTH MARKER

Normally erected in pairs, one on either side of a vertical obstruction facing in the direction of traffic flow.



OBSTRUCTION MARKERS

Used to delineate obstructions such as road closures or obstructions above the road.



HAZARD MARKERS



UNI-DIRECTIONAL HAZARD MARKER

D4-1-1A 1600 x 400
D4-1-1B 3200 x 800




UNI-DIRECTIONAL HAZARD MARKER

D4-1-2A 450 x 450
D4-1-2B 600 x 600



UNI-DIRECTIONAL HAZARD MARKER

D4-1-3A 900 x 300
D4-1-3B 1200 x 300
D4-1-3C 1800 x 300



BI-DIRECTIONAL HAZARD MARKER

D4-V108 1000 x 500
(VIC ONLY)

VIC ONLY

D4-V102 1800 x 600

HAZARD MARKERS



**BI-DIRECTIONAL
HAZARD MARKER**

D4-2-1A 900 x 300
D4-2-1B 1200 x 300
D4-2-1C 1800 x 300

VIC ONLY

D4-V103 1800 x 600




**UNI-DIRECTIONAL
HAZARD MARKER**

D4-2-2 400 x 1000

QLD ONLY

D4-2-2A 300 x 750



**WIDTH MARKER
(L or R)**

D4-3A 225 x 450
D4-3B 450 x 900



SIGHT BOARD

D4-4A 4000 x 400
D4-4B 6000 x 600



**OBSTRUCTION
MARKER**

D4-5A 1800 x 450



**CHEVRON ALIGNMENT
MARKER**


D4-6A 600 x 750
D4-6B 750 x 900
D4-6C 900 x 1125



**CHEVRON ALIGNMENT
MARKER**

NSW ONLY

G9-243A 300 x 450
G9-243B 450 x 600



**WIDTH MARKER
VIC ONLY**

D4-V105A 450 x 300
D4-V105B 600 x 400



WA ONLY

MR-HM1 2400 x 400



WA ONLY

MR-HM2 2400 x 400



HAZARD MARKERS



WA ONLY
MR-HM3 2400 x 400



WA ONLY
MR-HM4 2400 x 400



WA ONLY
MR-HM5 2400 x 400



NSW ONLY
G9-257 700 x 390
(L or R)
(Self Adhesive)



WA ONLY
MR-HM6 2400 x 400



WA ONLY
MR-HM7 2400 x 400



WA ONLY
MR-HM8 4800 x 800



WA ONLY
MR-HM9 4800 x 800



WA ONLY
MR-HM10 4800 x 800



WA ONLY
MR-HM11 230 x 230



WA ONLY
MR-HM12 450 x 600
QLD ONLY
D4-2-2-Q01A 450 x 600
D4-2-2-Q01B 900 x 1200



WA ONLY
MR-HM16 230 x 230



WA ONLY
MR-HM17A 360 x 1300
MR-HM17B 480 x 1340
MR-HM17C 600 x 1460

TEMPORARY ROADWORK SIGNS



TEMPORARY SIGNS ARE MOSTLY USED FOR WORKS ON ROADS AND FOOTPATHS TO WARN USERS OF TEMPORARY HAZARDOUS CONDITIONS WHICH COULD ENDANGER THEMSELVES OR THOSE WORKING ON THE ROAD. THEY ALSO INDICATE THE TRAVEL PATH THROUGH, AROUND OR PAST WORK SITES, AND IN THIS WAY, CONTRIBUTE TOWARDS THE PROTECTION OF PARTIALLY COMPLETED WORKS FROM DAMAGE.

Guide signs are generally rectangular. Other signs in this classification are used to warn of temporary hazardous conditions which are not related to road works, e.g. sign T1-11, TRAFFIC ACCIDENT AHEAD.

Temporary signs are generally rectangular with the long axis horizontal for ease of mounting.

The colour codings used for temporary signs are as follows:

- a) General temporary signs – a yellow retro-reflective background, black border and symbol or legend.
- b) Signs warning of workers – a combination of fluorescent/reflective red or orange background, black symbol and border.
- c) Signs warning of blasting operations – red background, white legend.

SIGN CLASSIFICATIONS

The sub-classifications and the prefix and series number relevant to each individual warning signs are as follows:

SERIES No.	CLASSIFICATION
T1	Advance series
T2	Position series
T3	Road condition series
T4	Special hazard series
T5	Traffic diversion series
T6	Vehicle mounted series
T7	Hand banner series
T8	Pedestrian series





TEMPORARY ROADWORK SIGNS

All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



T1-1A 1800 x 600
T1-1B 2400 x 900



T1-2A 1800 x 600
T1-2B 2400 x 900



T1-3-1A 900 x 600



T1-3-2A 1800 x 600



T1-4A 900 x 600



T1-5A 900 x 600
T1-5B 1200 x 900
T1-5C 1800 x 1200
Fluoro Diamond Grade



T1-6A 1200 x 600
T1-6B 1800 x 900



T1-10A 1200 x 600



T1-15A 1500 x 600



T1-16A 1800 x 600
T1-16B 2400 x 900



T1-18A 900 x 600
T1-18B 1200 x 900



T1-19A 900 x 600
T1-19B 1200 x 900



T1-21A 1800 x 600



T1-22A 1200 x 600



T1-23A 1800 x 900

TEMPORARY ROADWORK SIGNS



All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials

**ROADWORK
NEXT 2 km**

T1-24A 1800 x 600
T1-24B 2400 x 900

**ROADWORK
ON SIDE ROAD**

T1-25A 1800 x 600
T1-25B 2400 x 900

**ROAD PLANT
NEXT 2 km**

T1-26A 1800 x 600

**ROAD PLANT
ON SIDE ROAD**

T1-27 1800 x 600

**NEXT
2 km**

T1-28A 600 x 600
T1-28B 900 x 900

**BRIDGEWORK
—km AHEAD**

T1-29A 1800 x 600
T1-29B 2400 x 900



T1-30A 900 x 600
T1-30B 1200 x 900



T1-34A 900 x 600
T1-34B 1200 x 900
T1-34C 1800 x 1200
Fluoro Diamond Grade



NSW ONLY
T1-200-2B 1200 x 900



NSW ONLY
T1-200-3B 1200 x 900
T1-200-3C 1800 x 1200

**NIGHT
ROADWORK
AHEAD**

NSW ONLY
T1-223A 1800 x 900
T1-223B 2400 x 1200



NSW ONLY
T1-224A 1200 x 900
T1-224C 1800 x 1200

ROAD CLOSED

T2-4A 1800 x 300

**PART ROAD
CLOSED**

T2-5A 1500 x 600



T2-6-MAGARR
400 x 610
(Available in various arrow combinations)



T2-6-1TOPBMAG
400 x 300




TEMPORARY ROADWORK SIGNS

All signs are available in Hi Intensity (H) & Diamond Grade (DG) Materials



T2-6-1 1200 x 900




T2-6-2 1800 x 900



T2-13A 900 x 600
T2-13B 1200 x 900



T2-16A 1800 x 600
T2-16B 2400 x 900



T2-17A 900 x 1200



T2-23A 1200 x 600



T2-24A 900 x 600



T2-25 900 x 600



T3-1A 900 x 600



T3-3A 900 x 600
T3-3B 1500 x 900



T3-6A 900 x 600



T3-7A 900 x 600
T3-7B 1500 x 750



T3-9A 900 x 600
T3-9B 1500 x 900



T3-12A 1500 x 900



T3-13A 900 x 600
T3-13B 1500 x 750



T3-14A 900 x 600
T3-14B 1500 x 900

TEMPORARY ROADWORK SIGNS



TRI-V5 750 x 900




TRI-V6 900 x 900



T4-5A 1800 x 900



T4-6A 900 x 600
T4-6B 1200 x 900



T5-1A 1200 x 300
T5-1B 1800 x 450
(L or R)



T5-4A 1500 x 450



T5-5A 600 x 600
(Flat or Box)



T5-6A 450 x 450
T5-6B 600 x 600



T6-1A 1800 x 750



T8-1A 900 x 600



T8-2A 1200 x 300
(L or R)



T8-3A 900 x 600
(L or R)



STOP/SLOW BATS
SSB450 450
SSB600 600
(Class 1, 2 & D/G)
EXTHAN - Alum. Extendable Handle
WOODH - Wooden Handle



STOP/STOP BATS
DOUBLE SIDED
BAT-H - Class 1
BAT-FR - Diamond Grade
450mm Diam.
BCOV450 - Bat Cover 450mm Diam.
BCOV600 - Bat Cover 600mm Diam.



R41B-R43BH 600 x 1200



QLD ONLY
T1-Q05A 900 x 1000
T1-Q05B 1200 x 900



TEMPORARY ROADWORK SIGNS

CORFLUTES & MULTI MESSAGE SIGNS

The multi-message sign system regulates speed limits on work sites with minimal light weight signs that are more conspicuous because of their striking colour combinations.

The new Australian Standard AS1742.3:2002 requires that retro-reflective material be used on signs for roadworks. It must meet at least the requirements of Class 1. Signs warning of works personnel shall have a combination fluorescent reflective red or orange background.


Please note that Corflute and Multi Message Signs are not used in the Northern Territory or NSW.



CT284-40 600 x 600
QLD ONLY-TC1332



CT284-42 600 x 600
CT284-20 1200 x 300
QLD ONLY-TC1169



CT284-29 600 x 600
CT284-29-12X3H 1200 x 300
QLD ONLY-TC1170



CT284-28 600 x 600
QLD ONLY-TC1172



CT284-27 600 x 600



CT284-25 600 x 600
QLD ONLY-TC1217
(Available in all speed limits)



CT284-32 600 x 600
QLD ONLY-TC1218



CT284-33 600 x 600
QLD ONLY-TC1219

PREPARE TO STOP

CT284-156X6 600 x 600
CT284-15 1200 x 300
CT284-15-12X6H 1200 x 600
QLD ONLY-TC1362

DO NOT OVERTAKE

CT284-12 1200 x 300
QLD ONLY-TC1174

LOOSE STONES

CT284-13 1200 x 300
CT284-13-6X6H 600 x 600

MERGE RIGHT

CT284-16 1200 x 300

TEMPORARY ROADWORK SIGNS



MERGE LEFT

CT284-17 1200 x 300

DRIVE SAFELY

CT284-18 1200 x 300
QLD ONLY-TC1177



CT284-44 600 x 600

NEW
SURFACE

CT284-41 600 x 600

AHEAD

CT284-36 1200 x 300

ON SIDE ROAD

CT284-37 600 x 600
CT284-37-12X3H 1200 x 300
QLD ONLY-TC1325

ROADWORKS

CT284-38 1200 x 600
CT284-38-12X3 1200 x 300

ROAD CLOSED

CT284-49 1200 x 300
CT284-56 600 x 600

ROUGH
SURFACE

CT284-T3-7 600 x 600



CT284-ARROW3X6H
300 x 600
CT284-ARROW 600 x 600



CT284-TONLY 300 x 600
CT284-TONY 600 x 600



CT284-R2-6R 600 x 600
(L or R)



CT284-W3-3 600 x 600

SLOW
DOWN

CT284-SD 600 x 600

← DETOUR

DETOUR ↑

CT284-T5-1 1200 x 300
(L or R)
CT284-T1-6UPH 1200 x 300




TAS ONLY
TASERW
1200 x 600
(Box edge or Quad Sign
Magnetic Speed
overlays available).



TEMPORARY ROADWORK SIGNS



CT284-T8-2L 1200 x 300
CT284-T8-2R 1200 x 300



CT284-NEXKM 600 x 600
QLD ONLY-TC1403 1200 x 300



CT284-T2-25L 600 x 600



CT284-T8-3 600 x 600

STANDS



QUADRAPED STAND

QST6x6 600 x 600
QST9x6 900 x 600
QST12x9 1200 x 900



WLM STAND

WLM600 600 x 600
WLM900 900 x 600




AD BASE BOARD

ADBT1-5FR 600 x 900
ADBASE 600 x 900



QUAD STAND

QST12X6 - 1200 x 600
TAS ONLY



BI-POD

BIPODSMEDIUM
1200mm
(Spread)



BI-POD HEAVY DUTY

BIPODSHEAVYDUTY
1600mm
(Spread)




**MULTI MESSAGE
SIGN AND FRAME**

MMSF



FOLDING BI-POD CLOSED

MMBL



STAR PICKET & DRIVER

STARPICKET
STARPICKETDRIVE



STAUNCHIONS

STAUNCHION



MINI STAUNCHIONS

MS



**COLLAPSIBLE CHEVRON
DELINEATOR**

T5-Q02 250 x 1200

TRANSPORT SIGNS





TRANSPORT SIGNS

HEAVY VEHICLE MARKER PLATES

AS 4001-2: CLASS 1 ON ALUMINIUM




31L
300 x 100



33
300 x 300



33L
300 x 300



34A
300 x 400



41A
400 x 100



41B
400 x 100



615A-L
600 x 150



615B-R
600 x 150



161
1600 x 100



81A-LEFT 800 x 100
81B-RIGHT 800 x 100
81C-DOUBLE 800 x 100

ADR 45 CLASS 2 REAR MARKER PLATES: STEEL OR PRESSURE SENSITIVE



1801 P/S
1801ZS STEEL
420 x 300



1803 P/S
1806 STEEL
400 x 400



1805 P/S
1808 STEEL
400 x 400

DO NOT OVERTAKE TURNING VEHICLE

1800
1675 x 75

TRANSPORT SIGNS



ADR 45 CLASS 2 REAR MARKER PLATES: STEEL OR PRESSURE SENSITIVE



1811 P/S
1810 STEEL
1600 x 200



1814 P/S (L)
1812 STEEL (L)
800 x 200



1815 P/S (R)
1813 STEEL (R)
800 x 200

R4 SERIES 100KM/H SPEED LIMITED



R4-213 STEEL 300 x 400
R4-213P P/S 300 x 400



R4-214 STEEL 300 x 300
R4-214P P/S 300 x 300



R4-218 STEEL 250 x 250
R4-218P P/S 250 x 250



R4-215 STEEL 680 x 80
R4-215P P/S 680 x 80

REFLECTIVE SIGNS: STEEL, ALUMINIUM, PRESSURE SENSITIVE, PVC, BANNER, CL2, CL1



OSZSS STEEL 1200 x 450 (S/S)
OSALS ALUM 1200 x 450 (S/S)
OSALD ALUM 1200 x 450 (D/S)
OSBR BANNER 1200 x 450



OSLAALS ALUM 1200 x 600 (S/S)
OSLAZSD STEEL 1200 x 600 (D/S)
OSLAALD ALUM 1200 x 600 (D/S)
OSLABR BANNER 1200 x 600



RT12250AL 1200 x 250
RT1200B BANNER 1200 x 300



TRANSPORT SIGNS



DUI 525 x 250



OSFD 450 x 450 (Cloth)
(Dowel Flag)



OSFE 450 x 450 (Cloth)
(Eyelet)



BREAKDOWN TRIANGLES
BREAKT
Set of 3

HAZARDOUS GOODS SIGNS



EXP1M250 STEEL 250 x 250
EXP1P250 DECAL 250 x 250



C8M250 STEEL 250 x 250
C8P250 DECAL 250 x 250



NFNTGM250 STEEL 250 x 250
NFNTGP250 DECAL 250 x 250



OA5M250 STEEL 250 x 250
OA5P250 DECAL 250 x 250



DWWM250 STEEL 250 x 250
DWWP250 DECAL 250 x 250



FG2M250 STEEL 250 x 250
FG2P250 DECAL 250 x 250




HAZCHEM6X3 600 x 300



HAZ 600 x 120



HAZ-2WE 600 x 150



CLASS LABEL
ENVELOPE

MHOLD150 150 x 150
MHOLD250 250 x 250
MHOLD300 300 x 300


WORK ZONE PRODUCTS





WORK ZONE PRODUCTS



HARD CONES

PRODUCT	SIZE	CONE TYPE	AVAILABLE IN YELLOW/ WHITE	PRODUCT CODE
TRAFFIC CONE 300 	300mm	With Logo (printed or encapsulated) With Class 1 Collar	X X	300 300HCS
TRAFFIC CONE 450 	450mm	With Logo (printed or encapsulated) With Class 1 Collar	X X	450 450HCS
TRAFFIC CONE 700 	700mm	With Logo (printed or encapsulated) With Class 1 Collar	X X	700 700HCS
TRAFFIC CONE 900 	900mm	With Logo (printed or encapsulated) With Class 1 Collar	X X	900 900HCS
BIGFOOT 	1050mm Stem	With Class 1 Collar 8kg base		BIGFOOT
STACKABLE T-TOP BOLLARD 	1m Stem	Class 1 Reflective Band 8kg base 12kg base		TTOPSTEMAS TTOPBASE8 TTOPBASE12
HBAS BOLLARD 	1M Stem	Reflective Bands Available 8kg Base		HBASSTEM HBBASE8
DDI BOLLARD 	1050mm Stem	Class 1 Reflectors Base 8kg		DDISTEM DDIBASE8

WORK ZONE PRODUCTS




SOFT CONES

PRODUCT	SIZE	CONE TYPE	AVAILABLE IN YELLOW/ WHITE	COLLAR SIZE	PRODUCT CODE	TYPICAL WEIGHT
STANDARD 300 CONES 	300mm	Plain With Logo Class 1 Collar- White	X	Uncollared Uncollared 100mm	PH-002 PH-020 PH-002-R1	0.6kg
STANDARD 450 CONES 	450mm	Plain With Logo Class 1 Collar- White	X	Uncollared Uncollared 150mm	PH-003 PH-030 PH-003-R1	1.4kg
HIGHWAY STABLE 450 CONES 	450mm	Highway Stable Plain With Logo Class 1 Collar - White		Uncollared Uncollared 150mm	PH-004 PH-040 PH-004-R1	2.2kg
STANDARD 700 CONES 	700mm	Plain With Logo Class 1 Collar - White Class 1 Collar - White	X	Uncollared Uncollared 150mm 250mm	PH-005 PH-050 PH-005-R1 PH-005-R3	3.2kg
SLIMLINE 700 CONES 	700mm	Slimline Plain With Logo Class 1 Collar - White Class 1 Collar - White		Uncollared Uncollared 150mm 250mm	PH-006 PH-060 PH-006-R1 PH-006-R3	3.3kg
HIGHWAY STABLE 700 CONES 	700mm	Highway Stable Plain With Logo Class 1 Collar - White Class 1 Collar - White		Uncollared Uncollared 150mm 250mm	PH-007 PH-070 PH-007-R1 PH-007-R3	4.3kg
SLIMLINE 900 CONES 	900mm	Plain With Logo Class 1 Collar - White NZ Twin Collar	X	Uncollared Uncollared 250mm 150-100mm	PH-009 PH-090 PH-009-R3 PH-009-NZ	4.5kg
TOP MOUNT DELINEATORS 		Top Mount Delineators Class 1A Collar - Yellow		Plain 75mm	PH-100 XD-090	0.3kg




WORK ZONE PRODUCTS

LIGHTS & ARROW BOARDS



**ROOF MOUNTED ARROW
BOARD B SIZE**

ARROWBOARD-B 1500 x 750



**TRAILER MOUNTED ARROW
BOARD C SIZE**

ARROWBOARD-C 2400 x 1200



**3 WAY FLASHING LAMP.
STEADY RIPPLE FLASHING
& BATTERIES**

**UNIT - 3WL
FLASHING LAMP - FA
BATTERY - BATT**

MODEL NUMBER	GRAPHICS	DIMENSIONS
E28-32-72A (With Trailer) E28-32-72B	Min height 196mm with 12 characters per line Max height 392mm with 6 characters per line 250 factory pre-programmed and 250 user-defined messages	Trailer height 3700mm (raised) Trailer height 2700mm (storage) Trailer length 1560mm Trailer width 1550mm
E36-48-72A 2 solar panels 2 batteries	Min height 396mm with 9 characters per line Max height 504mm with 6 characters per line 250 factory pre-programmed and 250 user-defined messages	Trailer height 3700mm (raised) Trailer height 2700mm (storage) Trailer length 2200mm Trailer width 1800mm
E36-48-72B 3 Solar Panels 3 Batteries	Min height 396mm with 9 characters per line Max height 504mm with 6 characters per line 250 factory pre-programmed and 250 user-defined messages	Trailer height 3700mm (raised) Trailer height 2700mm (storage) Trailer length 2200mm Trailer width 1800mm
A13-1250-650B (Without Trailer)	Flash Cycle: 35-40 per minute View Distance: 600m View Angle: 30degrees View Time: 6sec at 110km p/h Display Capability: left, right, left & right arrow Style: Stay on or Flashing	Full Dimension: 1250 x 650 x 100mm



WORK ZONE PRODUCTS



SAFETY PRODUCTS



VIC ROADREFLECTIVE VEST
VRSV

BARRIERS/SAFETY FENCING & TAPES



BUNTING
BUNTF30



FLUORESCENT FLAG
FFL - 400 x 400
FFL 300 - 300 x 300



NIGHT LINE
NL23HN



WORK ZONE PRODUCTS



WEBBING
BNET50N



STANDARD DENEFE WEBBING
DNWEB50T - 5KG
DNWEB50 - 8KG



STANDARD BARRIER
PBBH



ECONOMY BARRIER
PBBEH



RED/WHITE
BLACK/YELLOW
BARRIER TAPE
RWBT100 - Red/White
BYBT75-100 - Black/Yellow
100m Rolls

DELINEATORS & ACCESSORIES



CORNER CUBE DELINEATOR
ACC - Amber
WCC - White/Clear
GCC - Green
RCC - Red
BCC - Blue



GD3 DELINEATOR
GD3



GD4 DELINEATOR
GD4



CRAK-BAK DELINEATOR
RHCB - 50 x 100
WHCB - 50 x 100

WORK ZONE PRODUCTS




DELINEATORS & ACCESSORIES



CH3 DELINEATOR
CH3



RD3 DELINEATOR
RD3



**DIAMOND GRADE
3900 SERIES**
DEL - 50 x 200-3990 (White)
DEL - 50 x 200-3992 (Red)
(Pressure Sensitive)



STAR PICKET COVER
STARCOVYCAP
(Yellow Cap)
STARCOVR
(Orange Reflective Cap)



**TEMPORARY REFLECTIVE
ROAD FLAP**
TRF - White
TRFR - Red
TRFY - Yellow



**HAND GUN FOR 600MM
TWIN PACK MEGAPOXY**
AHG - Gun



A & B MEGAPOXY 36
MEGATT - 600grams



A & B MEGAPOXY
MEGA4L - 4 Litre Mega 4L



PLASTIC LINE-O-DOT
LINODOTWHITE



**1 WAY REFLECTIVE
PAVEMENT MARKERS**
80B SERIES - Standard
C80B SERIES - Coated



**2 WAY REFLECTIVE
PAVEMENT MARKERS**
80A SERIES - Standard
C80A SERIES - Coated



SPOT PAINT - 350grams
WSPAIN - White
BLSPAIN - Blue
PSPAIN - Pink
YSPAIN - Yellow
BSPAIN - Black



WORK ZONE PRODUCTS




**LINEMARKING PAINT CANS
(500gm)**


WTPAINT - White
YTPAINT - Yellow
GTPAINT - Green
BTPAINT - Black



**LINEMARKING MACHINE
LMMACH**



**BLOCKS OF BITUMEN
ADHESIVE**
BIT-6.25KG BLOCK
BITACT-1KG BLOCK



**AMP BITUMINOUS PAD
6903AMP**



**NSW ONLY
MEDIUM BOLLARD WITH
HOLD DOWN RING**
BOLCOMP - Ø110



**NSW ONLY
PEDESTRIAN BOLLARD**
BOLPEDA - 400 x 600
BOLPEDB - 720 x 1000



**NSW ONLY
RUMBLE BARS**
RUMBLEBARWHI - White
RUMBLEBARYEL - Yellow



**TRAFFIC WAND
TWAND**

GUIDE POSTS & DRIVERS



STEEL
STEELGP
STEELGPDRIVER - Driver
STEELFLEXGP



FLEXIBLE
PVCPOST - 1400 x 100 x 4
PVCPOSTDRIVER - Driver



RECYCLED
RECPGPD - 95 x 45 x 1500



SIGN ACCESSORIES







SIGN ACCESSORIES

BRACKETS


UNBRACED SIGNS




TD1
Single Sided
60mm OD
TD1
(Hex Head Bolt)
TD3
(Anti-Vandal Bolt)




TD2
Double Sided
60mm OD
TD2
(Hex Head Bolt)
TD4
(Anti-Vandal Bolt)



FRISBEE
FBEE
2 piece
Single/Double
Sided
60mm OD Post




TRILOBULAR
KEY
(TD3 Key)




SECURITY SPANNER
SPAN
Suits Trilobular


BRACED SIGNS




UNISTRUT BRACKETS
Single
P2041 60mm OD
P2046 76mm OD
P2050 89mm OD
P2054 102mm OD
P2058 114mm OD
P2066 140mm OD




CAM
BRACKETS
CAMBKTDS - Alum Rib
CAMBKTDS - Uni - Unistrut




UNISTRUT
BRACKETS
CB2-TT
Double Sided
60mm OD




SADDLE BRACKET
Single Sided
UN15-60 60mm OD
UN15-76 76mm OD
UN15-89 89mm OD
UN15-102 102mm OD
UN15-114 114mm OD
UN15-140 140mm OD




ARC BRACKET
ARC060 60mm OD
ARC076 76mm OD
ARC089 89mm OD
ARC102 102mm OD
ARC114 114mm OD




CB1
Single Sided
CB1




CB2
Double Sided
CB2




UCC BRACKET
UCC002



RSJ CLAMP
RSJCLAMP



TIMBER FRANGIBLE
BRACKET
FRANGBKT




DN 250

SIGN ACCESSORIES




STREET NAME SIGNS




STREET BLADE
(1 Way)

AL16 150mm
AL18 200mm



STREET BLADE
(2 Way)

AL26 150mm
AL28 200mm




STREET BLADE
(3 Way)


AL36 150mm
AL38 200mm



B.S.CAP
BSCAP




B.S.JOINING SET
BSJS




STREET BLADE
TIMBER POST


ALT6 150mm
ALT8 200mm




ML1




ML2



BSL BRACKET



BS CROSS
BRACKET




SLOTTED BRACKET
ALT6B/ALT8B




FOLDED
BRACKETS
ALT6B-F
ALT8B-F

BAND-IT RANGE



STAINLESS
STEEL BAND
ROLLS (30MT)

STR13 13mm
STR16 16mm
STR19 19mm




BANDING
BRACKET

UR151 19mm High
(13mm Band)
UR251 29mm High
(16 & 19mm Band)



BANDIT BUCKLE

BBUC13 13mm
BBUC16 16mm
BBUC19 19mm



BANDING TOOL
BTOOL



NSW PARKING
SIGN BRACKETS
SINGLE/DOUBLE
RTA-SPB
RTA-DPB




SIGN ACCESSORIES

SOCKETS




LOC-SOCKET
LSOCKETORIG
370mm




LOC-SOCKET SPIKE
LSOCSPI450
450mm
LSOCSPI600
600mm



LOC-SOCKET DRIVING TOOL
LSOCDRIV



LOC-SOCKET WEDGE
LSWEDGE



STB SLEEVE
STB 400mm
STB550 550mm
c/w Anti Twist Bar




ROSTA SLEEVE
RS 675mm Long
(With or without
Anti Twist Bar)



ANTI TWIST BAR
ATBAR




GIBB/ROSTA KEY
RK




ROADSIDE WEDGE
WEDGE




VLOC
VLOC-CON
VLOC-SOIL




VLOC WEDGE
VLOCWEDGE



LOC-SOCKET ALUMINIUM
(Signfix Version)
ALUM-SOC 300
ALUM-SOC 450



TD BOLT
TDBOLT



ANTI-VANDAL BOLT
TDTRIBOLT



POSTCAPS
PCAP - Aluminium
PCAPGAL - Steel
Galvanised

SIGN ACCESSORIES



POSTS

- All posts are galvanized
- Can be plain or pre-drilled to any specification, generally with 1, 2, 3 or 4 holes.
- Posts can be powder coated or 2 pack painted in any colour.
- Can be manufactured with base plates for surface mount installations.
- Standard base plate: 250 x 250 x 6mm
- Standard lengths: 1600, 2800, 3200, 3600, 3900, 4200 & 6500mm.

POST DIMENSIONS

Nominal Bore (mm)	50	65	80	90	100	125	150
Outside Diameter (mm)	60.3	76.1	88.9	101.6	114.3	139.7	165.1






SIGN ACCESSORIES

FRANGIBLE FLUTED POSTS

- Manufactured from Marine Grade alloy
- Light and easy to handle
- Simple to install
- The pole flutes are designed to assist in the breakaway process by reducing the external contact surface at the shear point.
- Available in: 60, 76, 89, 102, 114 OD (mm).





SIGN ACCESSORIES



FRANGIBLE TIMBER POSTS

- Frangible timber posts are used for exposed location installations.
- The frangible posts comply with VicRoads Traffic Engineering Manual 2:2001.
- Posts are available in various lengths: 4.8m, 5.1m, 5.4m, 5.7m, 6.0m, 6.3m, 6.6m, 6.9m, 7.2m and 7.5m.
- Code- FRANGPOSTWOOD



*On a batter slope in cut which is 2:1 or steeper, mounting height at outer post may be reduced, but corner of sign must always be 800 min above ground level.



FRANGIBLE HARDWOOD SIGN POST - 180 x 100mm

SLIP BASE POSTS

- Slip Base Posts are generally used for mounting large signs in exposed locations such as freeways.
- The Slip Base assembly includes a vertical post, diagonal support, footing and castings.
- The unique design of the Slip Base post ensures that the supports fail in a controlled manner when struck. The stubs are often undamaged after impact, allowing easy replacement of the posts.
- All components are hot dip galvanized to prevent corrosion.
- Code (Victoria only)- SLIPBASE



Galvanised Steel - QLD, ACT & TAS



Mounting on Sideling Location

*On a batter slope in cut which is 2:1 or steeper, mounting height at outer post may be reduced, but corner of sign must always be 800 min above ground level.

SLIP BASE STRUTTED ALUMINIUM POST

LINE DRAWING ONLY APPLICABLE FOR VICTORIA

SAFETY SIGNS





SAFETY SIGNS

DANGER SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 225	A	Steel	S
450 x 300	B	Steel	S
600 x 450	C	Steel	S
300 x 225	A	Polypropylene	P
450 x 300	B	Polypropylene	P
600 x 450	C	Polypropylene	P
450 x 300	B	Fluted Plastic	F

Note: Steel & aluminium only available in NT. Please specify sizes and add to end of code when ordering.



DB-AUTHO



DB-HIGHVOL



DB-LIVEWIRES1



DB-NOACCESS



DB

EMERGENCY FIRE / FIRST AID SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	B	Steel	S
300 x 450	A	Polypropylene	P
450 x 600	B	Polypropylene	P
450 x 600	B	Fluted Plastic	F


Note: Steel & aluminium only available in NT



HOSEREEL



FIREREEL



CUSTOM



AS473



AS471



AS472

SAFETY SIGNS



HAZARD SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	B	Steel	S
300 x 450	A	Polypropylene	P
450 x 600	B	Polypropylene	P
450 x 600	B	Fluted Plastic	F

Note: Steel & aluminium only available in NT



AS 441



AS 442



AS 443



AS 444



AS 445



AS 446



AS 447



AS 448



AS 449



AS 450



AS 451



AS 452



AS 453




CUSTOM

SAFETY SIGNS

MANDATORY SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	B	Steel	S
300 x 450	A	Polypropylene	P
450 x 600	B	Polypropylene	P
450 x 600	B	Fluted Plastic	F

Note: Steel & aluminium only available in NT



AS 421



AS 422



AS 423



AS 424



AS 425



AS 426



AS 427




AS 428



AS 429



AS 430



CUSTOM

PIPE MARKERS

PIPE DIAMETER (OUTER DIAMETER)	PIPE MARKER DIMENSION
40mm or less	100 x 450mm
41mm to 75mm	450 x 30mm
75mm or more	450 x 60mm



PIPELINEMARKERS-FH



PIPELINEMARKERS-E



PIPELINEMARKERS-NG

SAFETY SIGNS



PROHIBITED SIGNS

SIZE (mm)	CODE	MATERIAL	CODE
300 x 450	A	Steel	S
450 x 600	B	Steel	S
300 x 450	A	Polypropylene	P
450 x 600	B	Polypropylene	P
450 x 600	B	Fluted Plastic	F

Note: Steel & aluminium only available in NT



AS402



AS403



AS404



NO ENTRY



NO SMOKE



CUSTOM

SAFETY TAGS

MATERIAL	SIZE (mm)	COLOUR	CODE	PACK SIZE
Polypropylene	82 x 140	Yellow	ST7-P	100
Polypropylene	82 x 140	Blue	ST8-P	100
Polypropylene	82 x 140	Red	ST9-P	100
Polypropylene	82 x 140	White	ST10-P	100
Polypropylene	82 x 140	Green	ST11-P	100
Polypropylene	82 x 140	Orange	ST12-P	100



82 x 140



82 x 140



82 x 140



82 x 140



CUSTOM



SAFETY SIGNS

HYDRANT MARKERS

Available in red or green Scotchlite letters on a white Scotchlite background.



FH-A 150 x 100mm




HP-A 150 x 100mm




SV-A 150 x 100mm




H 75 x 125mm



HP-B 75 x 250mm



FH-B 75 x 250mm



HR 75 x 250mm




SV-B 75 x 250mm

FIRE SIGNS


SIZE (mm)	CODE
100	FT100
200	FT200
350	FT350



WATER



WET CHEMICAL



FOAM



DRY CHEMICAL



CARBON DIOXIDE

The three types of recreational signs are:

- Multiple Message Signs also fall into this category.





RECREATIONAL SIGNS

ADVISORY

Sizes Available: (A) 150 x 150mm, (B) 200 x 200mm or (C) 300 x 300mm and (D) 450 x 450mm

All Pictograms – Available in Circular or Square Plates.



TOILETS
A1



WOMENS TOILETS
A2



MENS TOILETS
A3



DISABLED TOILETS
A4



FIREPLACES
A5



PICNIC AREA
A6



PICNIC SHELTER
A7



CAMPING AREA
A8



PLAYGROUND
A9



DRINKING WATER
A10



PARKING
A11



INFORMATION
A12



TELEPHONE
A13



FIRST AID
A14



DIRECTIONAL ARROW (1)
A15



DIRECTIONAL ARROW (2)
A16



WALKING WALK
A17



TELEPHONE
A18



HIKING
A19



CYCLING
A20



HORSE RIDING
A21



FISHING AREA
A22



SWIMMING AREA
A23



CANOEING
A24




DIVING
A25

RECREATIONAL SIGNS



HORSE RIDING
A21



FISHING AREA
A22



SWIMMING AREA
A23



CANOEING
A24



DIVING
A25

REGULATORY/PROHIBITION

Sizes Available: (A) 150 x 150mm, (B) 200 x 200mm or (C) 300 x 300mm and (D) 450 x 450mm
All Pictograms – Available in Circular or Square Plates.



**CAMPING
PROHIBITED**
P1



**CATS & DOGS
PROHIBITED**
P2



**VEHICLES
PROHIBITED**
P3



**FIRES
PROHIBITED**
P4



**TRAILBIKES
PROHIBITED**
P5



**HORSES
PROHIBITED**
P6



**FIREARMS
PROHIBITED**
P7



**BICYCLES
PROHIBITED**
P8



**SWIMMING
PROHIBITED**
P9



**DIVING
PROHIBITED**
P10



**FISHING
PROHIBITED**
P11



**PICKING OF PLANTS
PROHIBITED**
P12



CUSTOM





RECREATIONAL SIGNS

WARNING

Sizes Available: (A) 300 x 300mm & (B) 450 x 450mm



SLIPPERY ROCKS
WPV011



SLIPPERY WHEN WET
WPV012



KANGAROOS
WPV021



WALKING TRACK
WPV004



HIGH SURF
WVP038



KOALAS
WPV022



SHARKS
WPV026



BOAT RAMP
WPV003



STRONG
CURRENTS
WPV029



SKATEBOARD
RAMP
WVP001



SNAKES
WPV40



CUSTOM


MULTIPLE MESSAGE SIGNS

Sizes Available: 75 x 200mm (1.5M), 75 x 300mm (1.5M), 75 x 300mm (1.5M) & 75 x 450mm (1.8M)
Totem Colour: Black, Grey, Green & Blue


< 200mm >



TOTEM



TOTEM



Totem poles,
Recycled plastic & Timber

SPECIALTY PRODUCTS





SPECIALTY PRODUCTS

AIRPORT CONES AND GABLES



LARGE CONE
WHITE



LARGE CONE
YELLOW



LARGE CONE
WHITE & RED



LARGE CONE
WHITE



LARGE CONE
YELLOW



LARGE CONE
WHITE & RED



MINI CONE
WHITE & SILVER



MINI CONE
YELLOW & BLUE



TRIANGLE REFLECTOR
YELLOW & BLUE



1500mm GABLE WHITE
3000mm GABLE WHITE



1500mm GABLE YELLOW
3000mm GABLE YELLOW

SPECIALTY PRODUCTS



AIRPORT LIGHTS



AV15



AV23



AV70
RED



AV70
BLUE



AV125



AV200



AV300



AV10

STANDS



MALL STAND
A1 & A2



MALL STAND
A3 ECONOMY



A FRAME
STRUT



ROLL UP BANNERS

ROLLUP-A 594 x 1188
ROLLUP-B 840 x 2185
ROLLUP-C 1000 x 2185
ROLLUP-D 1200 x 2185



SPECIALTY PRODUCTS

SPECIALTY SIGNS



**NATIONAL BUILDING
PROGRAM
BLACK SPOT PROGRAM**
900 x 1200



**NATIONAL BUILDING
PROGRAM
ROADS RECOVERY**
900 x 1200




NATIONAL FIRE DANGER CLOCK
FC 2400 x 1200
FCPOINTER 2400 x 1200

TOTAL FIRE BAN TODAY

TOTAL FIRE BAN TODAY
TFBT 2400 x 2400

OTHER PRODUCTS

WIDTH	SIZE (mm)
W	600
W	900
W	1200



**WA ONLY
GRAB RAIL
HANDRAILS**

Cycle hand rails,
available in various
colours and sizes.
Available with or without
tapes.

SPECIALTY PRODUCTS



BRAILLETACTILE

Norsign NT is the official distributor for the NT of **brailletactile™**.

The Braille and tactile sign system is fully compliant with all the requirements of the relevant Australian Standards and Building Codes.

Signs are fully encapsulated in a single unit to ensure that they are resistant to strong cleaning materials and vandalism.

Our manufacturing process means that not only can statutory requirements be met but also individual colour schemes and special graphic design elements can be incorporated to suit your clients' requirements.

We offer obligation-free design advice on the features relating to directories, tactile maps and way-finding systems.



BTM



BTF



BTA

SPECIALTY PRODUCTS



BTUAA



BTUA



BTU



BTMA



BTUABC



BTFA



BTUAS

Stock signs are available with a standard blue background with white graphics applied to a blue PVC substrate. Custom **brailletactile™** signs can be manufactured to match any colour range and can be supplied applied to PVC, aluminium or to any nominated substrate. Custom **brailletactile™** signs are priced on application.

COMMERCIAL GRAPHICS



DENEFFE SIGNS IS ONE OF THE LARGEST SIGN MANUFACTURERS IN AUSTRALIA. OUR SPECIALISED DEPARTMENTS ARE ABLE TO CARRY OUT A WIDE RANGE OF PROJECTS INCLUDING VEHICLE MARKINGS, BUILDING GRAPHICS, INDOOR AND OUTDOOR SIGNAGE AND PRESSURE SENSITIVE DECALS.

Screen printing

- 4 colour process and line art

Graphics

- Digital printing and graphic design

Converting

- Computer cut lettering, anti graffiti films and sign lay up

Metal


- Plate manufacture, fabrication of specialist sign frames, stands, light boxes and freeway structures, flat bed router and engraving, fully automatic and hand held spray booths capable of baked enamel, acrythane, automotive and anti graffiti finishes.

Stores/Despatch

- A Nationwide network of couriers and freight companies able to transport any size sign or complete project.

Put all of the above together with our ISO9002 accredited quality system and over 75 years of sign manufacturing experience, and we can ensure unsurpassed quality and customer satisfaction. DeNeefe Signs can formulate you a complete sign package from beginning to end.





COMMERCIAL GRAPHICS





SIGN STORAGE AND HANDLING



THIS GUIDE SERVES TO HIGHLIGHT THE IMPORTANT ASPECTS OF REFLECTIVE SIGN STORAGE AND HANDLING.

GENERAL STORAGE

Signs should be handled, transported and stored to protect the sign face. Signs should be stored vertically with edges clear of the ground.

INDOOR STORAGE

Storing signs indoors is preferable. Moisture should not come in contact with the sign face. Packing that becomes damp or wet should be removed immediately. Steps should be taken to ensure signs are not stored in areas of high temperature and humidity.

OUTDOOR STORAGE

Signs stored outdoors should be unwrapped, stored upright and sit on wooden battens. A racking system ensures sign faces do not become damaged by signs resting against each other and allows adequate air circulation which prevents a build up of moisture.

SIGN TRANSPORTATION

Large direction signs should be braced with stiffener to avoid buckling and adequately supported and secured to avoid damage due to scuffing, abrasion and load shifting.

SIGN ERECTION

Once on site, signs should not be laid flat on the ground as it can result in damage to the reflective sign face. Bolts should be tightened using offset spanners. Avoid over tightening. Nylon washers should be used between the bolt head and sign face. After installation, signs should be inspected to see that they have not been damaged and are free of oil and dirt residue.

SIGN COVERING

The covering of signs is not recommended. If it is necessary to cover a sign then a porous cloth should be used allowing air circulation, and then only for limited periods. Do not use paper or plastic covers as heat and moisture entrapment can cause permanent damage to the reflective sign face.

SIGN CLEANING

For maximum performance signs should be kept clean and free from dirt, road tar, oil, bituminous material and mulch. Cleaning with a wet, detergent type non-abrasive cleaner is recommended. Following the use of any cleaning agent, the sign face should be thoroughly and immediately rinsed with water. Care should be taken not to abrade the sign face.